

# CoreWikie Sandbox

Testing sandbox corebsd, kiranya website ini jadi lebih memberikan banyak informasi mengenai perkembangan BSD diIndonesia.

Sandbox

1. Ordered List Item
2. Ordered List Item
3. Ordered List Item

- **Kalau icon lagi gimana yah**



Samping.. samping.. Wek gagal rek

— *Bayu Krisnawan* 2005/10/13 03:00

## Testing Box

Test test test, numpang test biar lancar harus mesti di coba dan di test, terutama soal test mengetest ini.

Terutama ini:

- Unordered List Item
- Unordered List Item
- 1. Ordered List Item

create by [google](#)

## test new page

- [test](#)
- [test2](#)

```
<xterm> <linux:/home/zabbix$ ls -l | grep drwxr-xr-x 2 zabbix zabbix 4096 Mar 23 2004
autom4te.cache drwxr-xr-x 2 zabbix zabbix 4096 Oct 4 2004 bin drwxr-xr-x 5 zabbix zabbix 4096 Mar
23 2004 create drwxr-xr-x 2 zabbix zabbix 4096 Mar 23 2004 doc </xterm>
```

## Table Policy, how?

No	Source	Destination	Type	Port	Description
1.	any	any	ALL	ALL	default deny
2.	Internet	Firewall	TCP	22	SSH
3.	Internet	Firewall	TCP	113	identd for irc freak
4.	Admin	Firewall	TCP	22	SSH akses buat admin
5.	LAN	Internet	TCP	80	Web akses
6.	LAN	Internet	TCP	443	secure Web akses
7.	LAN	Internet	TCP	5050	ym ;)
8.	LAN	Internet	UDP	53	dns query
9.	LAN	Internet	UDP	123	sync time
10.	Firewall	Internet	TCP	ALL	Outgoing bebas
11.	Firewall	Internet	UDP	ALL	Outgoing bebas
12.	Firewall	Internet	ICMP	ALL	Outgoing bebas

```
# macro
ext_if = "fxp0"
int_if = "fxp1"
lo_if = "lo0"
admin = "192.168.1.8/32"

# scrub
scrub on $ext_if all reassemble tcp random-id

# nat
nat on $ext_if from $int_if:network to any -> $ext_if

# Policy No. 1
block log all

# untuk loopback
pass quick on $lo_if all

# Policy No. 2
pass in on $ext_if inet proto tcp from any to $ext_if port 22 flags S/SA
keep state

# Policy No. 3
pass in on $ext_if inet proto tcp from any to $ext_if port 113 flags S/SA
keep state

# Policy No. 4
pass in on $int_if inet proto tcp from $admin to $int_if port 22 flags S/SA
keep state

# Policy No. 5, 6, dan 7
pass in on $int_if inet proto tcp from $int_if:network to any port { 80 443
5050 } flags S/SA keep state
```

```
# Policy No. 8 dan 9
pass in on $int_if inet proto udp from $int_if:network to $int_if port { 53
123 } keep state

# Policy No. 10
pass out on $ext_if inet proto tcp all modulate state

# Policy No. 11 dan 12
pass out on $ext_if inet proto { udp icmp } all keep state
```

From:

<http://wiki.corebsd.or.id/> - **CoreBSD Wiki**

Permanent link:

<http://wiki.corebsd.or.id/doku.php/playground?rev=1199079800>

Last update: **2025/10/25 17:09**

